	TURNØN™
Beyond Expectation	
	Solar Power Box
Model	SPG 5000
Capacity	6250VA
Max Load Capacity In Watts	5000W
	Input
Input Voltage	120V - 270V
Nominal Input Battery Voltage	76.8V
	Output
Output Voltage (Mains Mode)	Same as input
Output Voltage (INV Mode)	230V±5%
Output Frequency (INV Mode)	50Hz
Output Waveform (Mains Mode)	Same as input
Output Waveform (INV Mode)	Pure Sine Wave
	Battery
Battery Range	76.8V/102Ah
Battery Type	Lifepo4 (Inbuild)
Charging Current Mains	Constant Charging Approx. 10% of the Rated Battery Current in Ah
Backup Time	3 Hrs for 50% Load
	Solar Specifications
Solar Charger Type	MPPT
Maximum PV Panel Support	240V/5000W
Max. Solar Panel Current	70 Amps
Max solar raner carrent	Protections
Battery Protection	Battery Management System (BMS)
Output Overload Protection	120%
Output Short Circuit Protection	300%
Battery Higher Cut-off Voltage (Adjustable)	87V
Battery Lower Cut-off Voltage (Adjustable)	66V
System Overload / Short Circuits Protections	Available
Reverse Panel Protection	Available
Thermal Protection	Both in Grid Charging & Backup Mode
DC Input Volt. High Cut Protection/Recover	Available
Mains Re-Connect Voltage	81V + 0.3 V DC
Mains Dis-Connect Voltage	87V + 0.3 V DC
Operating Temperature	0°-63°C
operating reimperature	Salient Features
Modes of enerations	INV/Solar INV
Modes of operations Cooling fan	Used to cool all the electrical components and heat sinks effectively
Cooming rati	lowering the temperature and avoiding any hot spots.
Caster Wheel	It helps to move the power box from one place to another place
	No need a technical person to install this solar power box.
Installation process	Zero maintenance.
Maintenance Why choose Turnon Solar Power Box?	
	Longer life span.
	Extremely safe.
	Lightweight improved discharge and charge
AADDT Foothings	High efficiency.
MPPT Features	Designed to give maximum benefits from Solar Energy & minimize
Control Control Manual	your Electricity Bill.
System Service Warranty	3 Years
Battery Warranty	5 Years
Battery Life	10 Years